



## TEQIP-III Project Office

# Dibrugarh University Institute of Engineering and Technology

DUIET/TEQIP/2019/1472


Date :23/01/2020

### CORRIGENDUM

(for NIQ of UPS)

#### To whom it may concern

With reference to the NIQ of UPS dated 22.01.2020, kindly refer to the warranty mentioned in the **Annexure 1** of the NIQ as: **2 years on UPS and 3 years on Battery.**

  
23/01/2020

(Prof. Pramathesh Bhattacharyya)  
Director, DUIET,  
Dibrugarh University

**Director**  
**Dibrugarh University Institute**  
**of**  
**Engineering & Technology, DU**

### INVITATION LETTER

Package Code: TEQIP-III/AS/duie/39

Current Date: 21-Jan-2020

Package Name: DUIET/TEQIP32/ALL DEPT/UPS

Method: Shopping Goods

To,

**Sub: INVITATION LETTER FOR DUIET/TEQIP32/ALL DEPT/UPS**

Dear Madam/Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Item Name	Quantity	Place of Delivery	Installation Requirement (if any)
1	Online UPS 5KVA with batteries	8	Office of the Director, DUIET, Dibrugarh University, Dibrugarh, 786004, Assam.	Yes

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme**



**TEQIP-III Project Office**  
**Dibrugarh University Institute of Engineering and Technology**

DUIET/TEQIP/2019/1472

Date :23/01/2020

**3. Quotation**

- 3.1 The contract shall be for the full quantity as described above.
  - 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit Price.
  - 3.4 Applicable taxes shall be quoted separately for all items.
  - 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
  - 3.6 The Prices should be quoted in Indian Rupees only.
4. Each bidder shall submit only One Sealed Quotation containing Technical and Financial Bid with PAN/TAN and GST Certificate. The sealed envelope must be superscribe with the NIQ Number, Material/ Service Name quoted for, Contact Number and Email ID of the Bidder.
5. Quotation shall remain valid for a period up to **30** days after the last date of quotation submission.
6. Evaluation of Quotations: The Purchaser will evaluate and compare the quotations determined to be Substantially responsive i.e. which
- 6.1 are properly signed; and
  - 6.2 Confirm to the terms and conditions, and specifications.
7. The Quotations would be evaluated for all items together.
8. Award of contract The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.
- 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of Contract.
  - 8.2 *The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be Incorporated in the purchase order.*



TEQIP-III Project Office  
Dibrugarh University Institute of Engineering and Technology

DUIET/TEQIP/2019/1472

Date :23/01/2020

9. Payment shall be made in Indian Rupees as follows:

Payment Description	Expected Delivery Period (in Days)	Payment Percentage
Satisfactory Delivery & Installation	45	90 %
Satisfactory Acceptance	45	10 %

10. Liquidated Damages will be applied as per the below:  
Liquidated Damages Per Day Min %: 0.01  
Liquidated Damages Max %: 10
11. All supplied items are under warranty of **36** months from the date of successful acceptance of items and AMC/Others is **Yes**.
12. You are requested to provide your offer latest by **12:30** hours on **07-Feb-2020**.
13. Detailed specifications of the items are at Annexure I.
14. Training Clause (if any) **Required**
15. Testing/Installation Clause (if any) **Required**
16. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for. The same must be available in the company website.
17. Sealed quotation to be submitted/ delivered at the address mentioned below, **Dibrugarh University Institute of Engineering & Technology, Dibrugarh University, Dibrugarh, Assam- 786004., Assam**
18. Service centre/dealer of the supplied item must be available nearest to the institute and a certified copy from the OEM is to be submitted along with the quotation.
19. We look forward to receiving your quotation and thank you for your interest in this project.

  
(Prof. Pramathesh Bhattacharyya)

Director, DUIET,  
Dibrugarh University  
**Director**  
**Dibrugarh University Institute**  
**of**  
**Engineering & Technology, DU**



**TEQIP-III Project Office**  
**Dibrugarh University Institute of Engineering and Technology**

DUIET/TEQIP/2019/1472

Date :23/01/2020

**Annexure I**

Sr. No	Item Name	Specifications
1	Online UPS 5KVA with batteries	<p>TECHNICAL SPECIFICATIONS OF 5KVA ONLINE UPS WITH 3 HOURS BATTERY BACKUP Mandatory Features 5KVA, Should be compatible with 1+1 parallel redundancy with Common Battery Bank Mode without the use of additional Hardware if the same is desired in the future. UPS Should be Rack-Tower Convertible Design with Form Factor 2U Should have REPO (Remote Emergency Power Off); ON/OFF INPUT PARAMETERS Nominal Voltage: 200/208/220/230/240 Vac (single phase) Input Current: 56.1 Amperes Input Voltage Tolerance Window:160VAC to 300VAC @ FULL LOAD Frequency range - Hz 40 - 70 Hz Power Factor:0.99 (Full Load) OUTPUT PARAMETERS Capacity: 4.5kWATT Voltage Regulation: 230VAC <math>\pm</math> 1% Frequency Regulation: 50Hz <math>\pm</math> 0.05 Hz Voltage Harmonic Distortion: <math>\leq</math> 2% Linear Load Overload Handling Capacity: 106 ~ 110%: 10 minutes; 111 ~ 125%: 5 minutes; 126 ~ 150%: 30 seconds AC - AC Efficiency: Should be 92 % (Full Load) ; 96% in ECO Mode (Full Load) BATTERY PARAMETERS Rated DC Bus Voltage &gt;192VDC Charger Capacity: Should be minimum 8 Ampere Battery Type SMF Battery Backup : 3 Hours with Single Battery Bank and Should be without any External Charger Box VAH Required: 19200VAH Nos. of Battery Required: 16Nos.12V-100AH Battery Interlink Cables: Should be provided Battery Storage Rack: Should be provided ENVIRONMENTAL PARAMETERS Operating temperature: 0 to 40 deg. Centigrade Noise level (@ 1 meter): &lt;54dbA STANDARDS Safety &amp; EMC Standard : CE, TUV, EN62040-1-1; CISPR 22 Class A DISPLAY: Should be Multi-Lingual LCD Display <b>WARRANTY: 2 Years on UPS and 3 Yrs on Battery from the date of installation</b> Manufacturer's Credentials: Manufacturer should be ISO 9001:2008; ISO 14064-1:2012; OHSAS 18001 certified Product Brochure/User Manual: To be submitted along with the BID. Same should be accessible in the manufacturer's website</p>

**FORMAT FOR QUOTATION SUBMISSION**  
(In letterhead of the supplier with seal)

Date: \_\_\_\_\_

To: \_\_\_\_\_

Sl. No.	Description of goods \ (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex-Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
<b>Total Cost</b>							

Gross Total Cost (A+B): Rs. \_\_\_\_\_

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. \_\_\_\_\_ (Amount in figures) (Rupees \_\_\_\_\_ amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of \_\_\_\_\_ months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Contact No. \_\_\_\_\_